

**Cray Valley's  
Surface  
Modifiers:  
Selection by  
Properties**

<b>CRAYVALLAC Range</b>
<b>Matting</b>
<b>Textured Finish</b>
<b>Anti-blocking</b>
<b>Slip</b>
<b>Mar Resistance</b>
<b>Rub and Abrasion Resistance</b>
<b>Scratch Resistance</b>
<b>UV Resistance</b>
<b>Heat Resistance</b>
<b>Solvent Resistance</b>
<b>Water Resistance</b>
<b>Sandability</b>
<b>Anti-settle</b>
<b>Degassing</b>
<b>Ease of Dispersion</b>

<b>Micronised Powders</b>	<b>PP</b>	WN-1135 *	♦♦		♦♦	♦	♦	♦♦	♦♦		♦♦		♦♦		♦♦		
		WN-1265 **				♦	♦						♦♦♦	♦			
	<b>Pure Polyethylene</b>	WN-1442	♦		♦	♦♦	♦♦	♦♦	♦♦			♦	♦			♦	♦♦
		WN-1495			♦	♦♦	♦♦	♦♦	♦♦			♦	♦		♦♦	♦♦	♦♦
		WN-2000			♦	♦	♦♦	♦♦	♦♦		♦♦	♦♦	♦		♦♦	♦	
		WN-2789				♦	♦	♦♦	♦♦						♦♦		
		WN-2950			♦♦	♦	♦♦	♦♦	♦♦		♦♦	♦♦	♦				
		WN-3025			♦	♦♦	♦♦	♦♦	♦♦		♦	♦♦	♦				♦♦
		WN-1875 ***	♦♦				♦				♦♦	♦♦					
		<b>PTFE Modified Polyethylene</b>	WF-1000				♦♦♦	♦				♦♦					
	WF-1039			♦♦		♦	♦										♦
	WF-3200				♦	♦♦	♦	♦	♦							♦♦	
	WF-3250				♦	♦♦	♦	♦	♦							♦♦	
	WF-3290				♦	♦♦	♦♦	♦♦	♦♦		♦	♦					
	WF-6010				♦	♦♦♦	♦♦	♦♦	♦♦		♦						
WF-9200				♦♦	♦♦♦	♦♦	♦♦	♦♦									
WF-9710					♦♦♦	♦♦	♦♦	♦♦		♦♦							
<b>Wax Dispersions</b>	<b>Water-Based</b>	WW-1001			♦♦	♦	♦♦	♦				♦		♦♦			
		WW-1074			♦♦	♦	♦♦	♦				♦		♦♦			
		WW-1077			♦♦	♦	♦♦	♦				♦		♦♦			
		WW-1326			♦	♦	♦	♦									
		WW-2270			♦	♦	♦	♦									
		WW-9500	♦♦		♦♦	♦	♦	♦♦	♦♦		♦♦				♦♦		
		WW-9790			♦♦	♦	♦♦	♦			♦						
	<b>Solvent-Based</b>	WS-1147			♦♦♦	♦♦	♦♦	♦♦	♦♦		♦♦				♦♦		
		WS-4700			♦♦	♦	♦♦	♦							♦♦		
		WS-8050			♦	♦♦	♦♦	♦♦	♦♦			♦	♦		♦♦		
		WS-8200			♦♦♦	♦♦	♦♦	♦♦	♦♦		♦♦				♦♦		

- ♦♦♦ Excellent
- ♦♦ Very good
- ♦ Good

\* WN-1135 is a speciality modified polypropylene  
 \*\* WN-1265 is a speciality EBS grade  
 \*\*\* WN-1875 is a high melting point cross-linked polymer